_		
Date		



COVER LAYOUT

Please mark appropriate figure - use inches " Measure from outside edge of tub, mark location of tie-down straps with check mark. We build to your dimensions. Cover is manufactured +/- 1"

CustomerSignature	
Customer signature	


\*Please specify if you would like different tie down location

### **COLORS AVAILABLE**

#### **PLEASE PUT X BY ONE**

\*Color may vary by dye lot, run or manufacturer of material.

Brown	Hunter Green
Black	Lt. Blue
Burgundy	Lt. Grey
Old Charcoal	Navy
Black Polytec	Prestige Grey
Charcoal Polytec	Tan
Walnut Polytec	Walnut
	White




Customer Responsible for Measurement: \_(signature) Please double check your measurements!

Foam:	Taper:	Style:	Skirt Length:
1# Std	4x2 Std	Classic	Spa Manufacturer:
1.5#	5x3	Prestige	Spa Model:
2#	6x4	Altima	Special Instructions:
		Walk On	

Upgrades & Accessories: (additional charges may apply)					
Long Steam Stopper	Adjustable Straps	#100 Soft Cover	Cover Rockit	Hot Tub Cap (7x7x12')	
Reinforced Hinge	Boots (Qty)	#200 Soft Cover	Cover Caddy	Hot Tub Cap (7' Oct)	
Rubber Handles	Cover Lifter Supports	#300 Soft Cover	Cover RX	Hot Tub Cap (8x8x12')	
Upgraded Vapor Barrier	Cover Cleaner	#400 Soft Cover	Cover Valet	Pool Table Cover	
PermaLiner Vapor Barrier	Split Skirt	Spa Pillows	Wind Straps	Solar Spa Cover	

Buyer/Company: Swain Pools & Spas				
Phone #:850-386-7113				
Address: 1223 West Tharpe Street				
Tallahassee, FL 32303				
Customer Name/PO #:				

Ship to:_	Swain	Pools	& &	Spas	_ Residence:	Y	<u>X</u> N
Phone #:	850-	386-72	L13	<del></del>			
Address:	1223	West	Tha	rpe S	treet		
Tallahassee, FL 32303							



## How to Measure for a Cover

It is best if you measure your existing cover and not your spa. In order to get the proper length and width, measure across the seam, then perpendicular to that. If your spa has cut our radius corners be sure to measure them as well. The final measurement required will be the skirt size. The skirt is the small flap that is sewn on to the bottom of the cover, the skirt would cover the acrylic lip that sticks out from the spas cabinet.

If you do not have a cover to measure from, then you must measure all the outside dimensions of the spa. The cover has a 2" flap around the edges of the spa called a skirt. The skirt must easily sit over the edges of the spa, with a little room to spare.

It is always better to make the cover size a little bit bigger than your spa when measuring. If you make a mistake, and measure too small, the cover will not fit properly, will not sit flat and will not hold the heat in.

All Prestige Covers come with Four Tie-Downs with child-proof locks and locks that can either be attached to the wood spa cabinet or be screwed to a deck.

Spas come in a variety of "standard" shapes. Determining your units shape will help you order the proper cover.

Determine your style and measure per drawing below.


- Square =  $L \times W$
- Rectangle =  $L \times W$
- Square with cut corners = L x W x Cut Corner Dimension
- Rectangle with cut corners = L x W x Cut Corner Dimension
- Square with rounded corners = L x W x Radius Dimensions
- Rectangle with rounded corners = L x W x Radius Dimension
- Square with one cut corner = L x W Cut Corner Dimension
- Square with two cut corners = L x W x Cut Corner Dimension
- Ellipse or taper = Must supply a template and/or specific make, year and model of spa
- True Octagon =  $L \times W \times Dimension$  of one side
- Off-set Octagon = L x W x Dimension of each side (8 total)
- Six Sided = L x W x Dimension of each side (6 total)
- Round = Diameter

# How to measure the radius of a curved spa

### **Method #1 for determining radius:**

To determine the radius of your cover's corners, take a sheet of paper and trace around one of the curved corners of the cover. You will get a curved line similar to those shown at the left. Remove the paper and complete the circle. You can do this freehand. Then measure across the middle of the circle you drew, and divide by 2.

### How to measure the radius of a curved spa



### **Method #2 for determing radius:**

Another way to measure the radius is by placing a carpenter's square on the outside of your spa. The distance between the corner of the carpenter's square and the place where it touches the spa (A) equals the radius of the curve (B).